

Message

---

**From:** Odusote, Gloria [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=ODUSOTE, GLORIA]  
**Sent:** 6/14/2018 9:08:52 PM  
**To:** Ilaria Mormino [Ilaria.Mormino@reagens-group.com]  
**CC:** Mario Berna [mario.berna@reagens-group.com]; Stefano Gardi [stefano.gardi@reagens-group.com]  
**Subject:** RE: RE: RE: RE: RE: Concerning P-18 -0105

Hi Ilaria.

The Day 90 is today. Would you like to request a suspension while it goes through the determination process?

It generally takes about 30 days.

Best regards,  
Gloria

**From:** Ilaria Mormino [mailto:Ilaria.Mormino@reagens-group.com]  
**Sent:** Thursday, June 7, 2018 9:54 AM  
**To:** Odusote, Gloria <odusote.gloria@epa.gov>  
**Cc:** Mario Berna <mario.berna@reagens-group.com>; Stefano Gardi <stefano.gardi@reagens-group.com>  
**Subject:** Rif: RE: RE: RE: RE: Concerning P-18 -0105

Good morning Gloria,  
ok, thank you, you can go forward with preparing the documentation.  
Please let me know if you need any more info.  
Best regards and have a good day

Dr. **Ilaria Mormino**  
( Consulente Trasporto Merci Pericolose - DGSA; Regulatory Affairs Representative )  
direct: +39 0516639 257  
e-mail: [ilaria.mormino@reagens-group.com](mailto:ilaria.mormino@reagens-group.com)



Reagens S.p.A.

Via Codronchi 4  
40016 San Giorgio di Piano (BO) Italy  
phone: +39 0516639 111 - fax: +39 051 897561  
[www.reagens-group.com](http://www.reagens-group.com)

Da: "Odusote, Gloria" <odusote.gloria@epa.gov>  
Per: Ilaria Mormino <Ilaria.Mormino@reagens-group.com>  
Cc: Mario Berna <mario.berna@reagens-group.com>, Stefano Gardi <stefano.gardi@reagens-group.com>  
Data: 07/06/2018 15:43  
Oggetto: RE: RE: RE: RE: Concerning P-18 -0105

---

Hi Ilaria,  
Exactly.

Best,

Gloria

**From:** Ilaria Mormino [<mailto:Ilaria.Mormino@reagens-group.com>]

**Sent:** Thursday, June 7, 2018 6:53 AM

**To:** Odusote, Gloria <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>

**Cc:** Mario Berna <[mario.berna@reagens-group.com](mailto:mario.berna@reagens-group.com)>; Stefano Gardi <[stefano.gardi@reagens-group.com](mailto:stefano.gardi@reagens-group.com)>

**Subject:** Rif: RE: RE: RE: Concerning P-18 -0105

Dear Mrs Odusote,

thank you for clarifying this.

So, if I understand correctly, once you regulate with non-order SNUR, the substance can be used in US and is TSCA-compliant, provided that these prescriptions (water trigger 50 ppb, gloves and a respirator of APF 50) are observed.

Is it so?

Thanks again and kind regards

**Dr. Ilaria Mormino**

( Consulente Trasporto Merci Pericolose - DGSA; Regulatory Affairs Representative )

direct: +39 0516639 257

e-mail: [ilaria.mormino@reagens-group.com](mailto:ilaria.mormino@reagens-group.com)



Reagens S.p.A.

Via Codronchi 4

40016 San Giorgio di Piano (BO) Italy

phone: +39 0516639 111 - fax: +39 051 897561

[www.reagens-group.com](http://www.reagens-group.com)

**Da:** "Odusote, Gloria" <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>

**Per:** Ilaria Mormino <[Ilaria.Mormino@reagens-group.com](mailto:Ilaria.Mormino@reagens-group.com)>

**Cc:** Stefano Gardi <[stefano.gardi@reagens-group.com](mailto:stefano.gardi@reagens-group.com)>, Mario Berna <[mario.berna@reagens-group.com](mailto:mario.berna@reagens-group.com)>

**Data:** 05/06/2018 16:04

**Oggetto:** RE: RE: RE: Concerning P-18 -0105

---

Hi Ilaria,

-A water trigger is a limit. You can find the provision in CRF 721.90 (b)(4) where N=50

"Into the waters of the United States if the quotient from the following formula:

$$\frac{\text{number of kilograms/day/site released}}{\text{receiving stream flow (million liters/day)}} \times 1000 = N \text{ parts per billion}$$

exceeds the level specified in subpart E of this part when calculated using the methods described in § 721.91. "

-The 2017 Version 6 of the ECHA document (ECHA, 2017) page 315 states *"For substances that sensitise via the respiratory tract, there is still uncertainty regarding the exact mechanisms leading to respiratory sensitisation. Based on the current knowledge the induction of respiratory sensitisation can occur via inhalation or dermal exposure to the sensitising substance (Redlich, 2010; Kimber et al., 2015)."* The PMN is noted to be a sensitizer. As noted in ECHA (2017), a skin sensitizer has the potential to also induce respiratory sensitization. Both skin and respiratory sensitization are allergic responses to an immune challenge. Thus we are regulating this chemical as a potential respiratory sensitizer in the absence of data.

Best regards,  
Gloria Odusote

Gloria Odusote  
Chemical Control Division  
EPA East  
1200 Pennsylvania Ave. NW  
Room 4133G, Mail Code 7405M  
Washington, DC 20460  
202 564-1845  
Fax 202 564 9490

**From:** Ilaria Mormino [<mailto:Ilaria.Mormino@reagens-group.com>]  
**Sent:** Friday, June 1, 2018 9:31 AM  
**To:** Odusote, Gloria <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>  
**Cc:** Stefano Gardi <[stefano.gardi@reagens-group.com](mailto:stefano.gardi@reagens-group.com)>; Mario Berna <[mario.berna@reagens-group.com](mailto:mario.berna@reagens-group.com)>  
**Subject:** Rif: RE: RE: Concerning P-18 -0105

Dear Mrs Odusote,

-what do you mean by water trigger? Is it a limit , or is it a threshold value that triggers some obligations if it is exceeded? And, is it referred to wastewater or anything else?  
-Regarding sensitization, the substance is classified as sensitizer as you pointed out- it is a skin sensitizer so it requires gloves as you suggested, but it is not classified as a respiratory sensitizer so perhaps the respirator is not necessary?  
The GHS classification has two different risk phrases for sensitization: H317 for skin sensitization and H334 for respiratory sensitization, and this substance has H317 but not H334. Or do you have other evidence regarding respiratory hazard?

Please let me have your point of view (better by e-mail so I can share with my colleagues before reverting to you)

Thanks and have a nice day  
Regards

**Dr. Ilaria Mormino**  
( Consulente Trasporto Merci Pericolose - DGSA; Regulatory Affairs Representative )  
direct: +39 0516639 257  
e-mail: [ilaria.mormino@reagens-group.com](mailto:ilaria.mormino@reagens-group.com)



Reagens S.p.A.

Via Codronchi 4  
40016 San Giorgio di Piano (BO) Italy  
phone: +39 0516639 111 - fax: +39 051 897561  
[www.reagens-group.com](http://www.reagens-group.com)

Da: "Odusote, Gloria" <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>  
Per: Ilaria Mormino <[Ilaria.Mormino@reagens-group.com](mailto:Ilaria.Mormino@reagens-group.com)>  
Data: 01/06/2018 00:04  
Oggetto: RE: RE: Concerning P-18 -0105

---

Hi Ilaria,

Sorry for the long wait. There are no longer any risk to surface water but we still have concerns that would be addressed with a **water trigger of 50 ppb**. We also have concerns for sensitization, which would require **gloves** and a **respirator of APF 50**.

We generally regulate using non-order SNURs so please let me know if you would like me to go forward with preparing the documentation.

Is there any way we can talk on Monday?

Best,  
Gloria

**From:** Ilaria Mormino [<mailto:Ilaria.Mormino@reagens-group.com>]  
**Sent:** Wednesday, March 28, 2018 2:11 AM  
**To:** Odusote, Gloria <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>  
**Subject:** Rif: RE: Concerning P-18 -0105

Thank you Gloria.  
Have a nice day

**Dr. Ilaria Mormino**  
( Consulente Trasporto Merci Pericolose - DGSA; Regulatory Affairs Representative )  
direct: +39 0516639 257  
e-mail: [ilaria.mormino@reagens-group.com](mailto:ilaria.mormino@reagens-group.com)



Reagens S.p.A.

Via Codronchi 4  
40016 San Giorgio di Piano (BO) Italy  
phone: +39 0516639 111 - fax: +39 051 897561  
[www.reagens-group.com](http://www.reagens-group.com)

Da: "Odusote, Gloria" <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>  
Per: Ilaria Mormino <[Ilaria.Mormino@reagens-group.com](mailto:Ilaria.Mormino@reagens-group.com)>  
Data: 28/03/2018 00:29  
Oggetto: RE: Concerning P-18 -0105

---

Hi Ilaria,  
I sent your concerns to the eco assessor. I will let you know when I hear a response.  
Best,  
Gloria

**From:** Ilaria Mormino [<mailto:Ilaria.Mormino@reagens-group.com>]  
**Sent:** Tuesday, March 27, 2018 5:41 AM  
**To:** Odusote, Gloria <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>  
**Cc:** Regulatory <[regulatory@reagens-group.com](mailto:regulatory@reagens-group.com)>  
**Subject:** Fw: Concerning P-18 -0105

Dear Mrs Odusote,  
we further analysed the impact of our substance on eutrophication issues, and expect it to be negligible based on the following considerations:  
Our substance is to be used as ingredient of PVC stabilizers, therefore it will be included in solid matrices, and it is not foreseen to be released in water -as it happens massively with phosphorous-based detergents.  
Furthermore, this substance has a very low solubility in water (with estimated solubilities ranging from  $5.343 \times 10^{-13}$  mg/L) therefore the bioavailability for algae is expected to be negligible.  
Moreover, eutrophication is due to phosphates and not to phosphites, and it is not likely that it is converted to phosphate due to its low solubility.  
The substance is similar to the linear tri-tridecylphosphite which is listed in the TSCA and has been used safely in the US since many years, the only difference being that the alkyl chain is branched instead of linear.  
If you have any more questions for us, please let us know, we will be glad to answer.  
Kind regards

Dr. Ilaria Mormino

( Consulente Trasporto Merci Pericolose - DGSA; Regulatory Affairs Representative )

direct: +39 0516639 257

e-mail: [ilaria.mormino@reagens-group.com](mailto:ilaria.mormino@reagens-group.com)



Reagens S.p.A.

Via Codronchi 4

40016 San Giorgio di Piano (BO) Italy

phone: +39 0516639 111 - fax: +39 051 897561

[www.reagens-group.com](http://www.reagens-group.com)

---

Dear Mrs Odusote,

thank you for your e-mail and for raising this issue about eutrophication. We would like to further investigate this topic, so that we can provide you more detailed information.

If it is ok for you, we would contact you in the next days once we have more information.

Thanks and looking forward to talk to you.

Kind regards

**Dr. Iaria Mormino**

( Consulente Trasporto Merci Pericolose - DGSA; Regulatory Affairs Representative )

direct: +39 0516639 257

e-mail: [ilaria.mormino@reagens-group.com](mailto:ilaria.mormino@reagens-group.com)



Reagens S.p.A.

Via Codronchi 4

40016 San Giorgio di Piano (BO) Italy

phone: +39 0516639 111 - fax: +39 051 897561

[www.reagens-group.com](http://www.reagens-group.com)

----- Inoltrato da Iaria Mormino/REAGENS/IT il 12/03/2018 09:03 -----

Da: "Odusote, Gloria" <[odusote.gloria@epa.gov](mailto:odusote.gloria@epa.gov)>

Per: "[regulatory@reagens-group.com](mailto:regulatory@reagens-group.com)" <[regulatory@reagens-group.com](mailto:regulatory@reagens-group.com)>

Data: 09/03/2018 03:57

Oggetto: Concerning P-18 -0105

---

Hi Robert,

My name is Gloria Odusote and I am the program manager for you case. We identified some health concerns due to sensitization and irritation, which can be addressed with PPE. However, there were some eco risks identified, which we will need more information to address. We had concerns for eutrophication in water systems based on the presence phosphates. I will not be in tomorrow but I would like to talk to you on Monday, if that is possible.

Best regards,  
Gloria Odusote

Gloria Odusote  
Chemical Control Division  
EPA East  
1200 Pennsylvania Ave. NW  
Room 4133G, Mail Code 7405M  
Washington, DC 20460  
202 564-1845  
Fax 202 564 9490